

## **Application of Dental Age Estimation: A Review**

**MeghaWalia**

Assistant professor, School of bioengineering and biosciences, Lovely professional  
University

**KajolBhati**

Assistant professor, Galgotias University,

Corresponding Author:

MeghaWalia, Assistant professor

Department of Forensic Science

School of bioengineering and biosciences, Lovely professional University

Email [id-megha7walia@gmail.com](mailto:id-megha7walia@gmail.com)

Mobile no-9810848647/9711510951

### **ABSTRACT**

Age estimation is a vital method in odontopediatrics, legitimate pharmaceutical, anthropology, pediatrics, orthodontics, and forensic sciences, and is carried out for a number of reasons. Its use is expanding in both civil and criminal things and is also to identify person in mass disasters and natural calamities. A number of anthropologists have examined the age frameworks, where age is frequently a major organizing guideline. Dental-age assessment is considered most a precise, solid, and quick strategy of age assurance, particularly in developing children and is considered exceptionally critical in numerous fields of study.

Keywords: Dental Age Estimation, Odontology, Anthropology, Forensic Science

## INTRODUCTION TO AGE ASSESSMENT

The point of a perfect age estimation strategy is to reach at an age as near to the chronological age as conceivable. Different age estimation strategies have been tested and detailed within the literature. In children and youths, substantial advancement, such as skeletal development, stature, menarche, etc., has been utilized to survey the age when obscure .

The chronological age of children with questionable birth records are frequently evaluated by assessing the people somatic development. Owing to a comparatively low inconstancy of tooth arrangement than other formative highlights additionally low inconstancy in connection to chronological age , it appears that strategies based on stages of tooth arrangement are more suitable in appraisal of chronological age than those based on other pointers of physical improvement .

### **Dental versus Bone Mineralization Age Assessment**

Dental and bone age have been surveyed to decide to what degree they are related for symptomatic purposes. Considering that states of dental mineralization are comparatively less influenced by environmental and hormonal factors than bone mineralization states, dental maturation gives more dependable signs of chronological age than bone advancement .

### **Application of Age Assessment in Different Fields**

Age estimation has incredible significance in numerous clinical choices, being commonly utilized in pediatrics, orthodontics, odontopediatrics, legitimate pharmaceutical, anthropology, and forensic sciences. Dental-age assessment is considered most a precise, solid, and quick strategy of age assurance, particularly in developing children and is considered exceptionally critical in numerous fields of study . Age estimation is additionally of significance in forensic science, not as it were for distinguishing proof reason of the casualties, but moreover for medico-legal importance . Age estimation is additionally important in bioarchaeology& human anthropology because it can give impressive data with respects to past population .

### **Age Estimation in Odontology**

Dental age is of particular charmed to the pediatric dental master and orthodontist in arranging the treatment of assorted sorts of malocclusion in association to the maxillofacial advancement .There's a extraordinary relationship among dental age and chronological age. These relationships can be used as a preface to help therapeutic choices with regard to extricating the deciduous teeth and timing for the treatment of orthodontic.

Distinction among dental and known chronological age show changes inside the standard advancement plan. In patients with conceded dental advancement, orthodontic treatment may be started at an afterward stage.

**Age assessment in Anthropology**

Age frameworks incorporate formal age classes of people of comparative numerical age, age grades or formative stages based on social and natural improvement, and relative ages of people. Body changes aren't totally related with organic and chronological age.

In numerous cases, chronological age and biological age may differ, due to the variations in development process. Subsequently, distinctive parameters such as bone age, dental age, mental age, and other components such as menarche, tallness, voice difference, and weight are considered as intermediary marker for body development and biological age. Dental development is more reliable as an indicator of biological development in children. Dental development is more significant because it is less influenced by endocrine status and nutritional.

Age assessment is additionally utilized within the zone of human studies to appraise the age of past populaces from immature skeletal remains.

**Age estimation in Forensic Science**

Age is one of the basic components, which plays a critical part in each viewpoint of life. Individual distinguishing proof is a critical perspective of legal medication and dentistry. Age, sexual orientation, race, and so on are utilized for recognizable proof of an individual.

Chronological age, as recorded by enlistment of date of birth, is alluded all through an individual's life. Age is a vital figure in clinical practice; research and court of law. Major dental clues once ignored are progressively utilized to unravel the crime.

For living individuals, age determination is performed in order to study whether a child has fulfilled the age of criminal responsibility, in scenarios counting assault, in premature births, ambush, seizing, pediatric endocrine contaminations adoption methods, and orthodontic malocclusion, as well as in circumstances in which the birth certificate isn't available or the records are beneath doubt. Forensic odontology could be a modern science that has created as an isolated forte. It uses the information of a dental specialist to serve the legal framework. The advancement of dentistry has taken the dental specialist as an expert in lawful procedures and within the field of forensic sciences. The estimation of age is critical for legal, lawful and clinical work.

Also the chronological age of living individuals is imperative in cases of business and marriage. Age estimation moreover gives profitable data when the birth date isn't accessible, as in case of unlawful immigrants.

Increased immigration and blending of populaces sets lawful issues of different orders, with expanding significance of deciding the chronological age of children, adolescents and youthful

grown-ups. In this way, evaluating chronological age is vital in evaluating the legitimate grown-up age of individuals without records for legal purposes.

### **Chronological age and Dental age**

Children with the same chronological age may show up contrasts inside the formative stages of distinctive biological systems. Many records have been made to choose the stage of developmental of a child for a certain biological time period, to be specific lists for sexual development, physical development, skeletal age and dental age.

Dental age (DA) assessment has picked up acknowledgment since it is less variable when compared to other files and less influenced by natural variables. Numerous strategies have been utilized in assessing dental improvement including life structures, tooth rise dates, histology, and radiology .

Among all, the radiological strategy is most practical, acceptable and reliable as well. DA can be evaluated either by assessing tooth eruption time or by the advancement of tooth calcification .

### **Dental Age Assessment**

Dental development has been appeared to be a valuable strategy of age estimation, whose appropriateness diminishes as age increases whereas physical advancement can be influenced by hereditary, racial, climatic, hormonal, dietary and environmental factors. It has been detailed that dental advancement is less influenced by external factors , Various strategies have been created to assess dental age. Inconstancy may generally relate to ethnic contrasts, but other variables, such as sexual orientation and age, may play a major role.

Dental age assessment relies upon the rate of advancement, calcification & mineralization of tooth buds and the dynamic grouping of their eruption within the oral cavity. A few strategies have been created to survey the dental age in accordance to the degree of calcification observed in permanent teeth .

### **Dental Age Estimation in Children and Adolescents**

Dental age assessment in children and youths relies upon the time of development of the tooth within the oral cavity and/or the tooth calcification.

Growing individuals not just vary within the timing of the maturational occasions, but inside the grouping of these events as well. The formative status of a child can be overviewed from distinctive components like stature, weight, chronological age, skeletal age, secondary sexual characteristics, and dental age. These criteria can be associated autonomously or together to gauge the degree of physiological advancement of a growing child. The tooth with its formative stages gives us a noninvasive technique to predict the age of the individual.

A few authors have looked into that dental parameters are more suitable for age estimation in children since the inconstancy is lower as calcification rates of teeth are controlled more by innate components than by characteristic components .

The radiographic investigation of developing dentition will aid in age determination, particularly when there's no clinical prove accessible (2.5-6yr).

### **Two Ways to Estimate Age by Teeth**

Previously, the only accessible measure of dental age assessment was by noticing the eruption of teeth .In spite of the fact that the eruption of the teeth may contrast incredibly in the time of appearance within the mouth of diverse children, the majority of the children show some pattern in the sequence of eruption . However, a thought of eruption alone makes one cognizant of only one stage of the development of the dentition. A degree of calcification (development) at diverse age-levels will give a more exact list for estimating dental age and will contribute to the concept of the living being as a whole .

Emergence and calcification of dental tissues has been utilized to decide dental age. Tooth calcification (formation) is predominant to tooth emergence(eruption) since rise of a tooth could be a short lived occasion and its exact time is very difficult to decide though calcification may be a persistent process that can be surveyed by lasting records such as x-ray movies. Thus, dental development of calcification which is persistent developmental process ought to be considered a much better measure of physiological development than dental emergence.

### **DISCUSSION**

In spite of the fact that a lot of dental-age evaluation strategies deliver high degrees of exactness and accuracy, innate contrasts between different population bunches were found to influence the unwavering quality, resulting in under- or overestimation of the dental age. Estimation of chronological age (CA) utilizing morphological and radiological examination on teeth has ended up fundamental in pediatric dentistry, orthodontics, scientific dentistry, human anthropology and bioarchaeology.

### **REFERENCE**

Bagherpour, A. I. (2010). Dental age assessment among Iranian children aged 6–13 years using the Demirjian method. *Forensic science international* , 197(1-3), 121-e1.

Bagić, I. Č. (2008). Dental age estimation in children using orthopantomograms. *Acta Stomatol Croat* , 42(1), 11-18.

- Birch, W. &. (2014). A method of calculating human deciduous crown formation times and of estimating the chronological ages of stressful events occurring during deciduous enamel formation. *Journal of forensic and legal medicine* , 22, 127-144.
- Cardoso, H. F. (2007). Accuracy of developing tooth length as an estimate of age in human skeletal remains: the deciduous dentition. *Forensic science international* , 172(1), 17-22.
- Demirjian, A. G. (1973). A new system of dental age assesement. *Hum Biol* , 42:211-27.
- Demirjian, A. H. (1976). New systems for dental maturity based on seven and four teeth. *Annals of human biology* , 3(5), 411-421.
- Eid, R. M. (2002). Assessment of dental maturity of Brazilian children aged 6 to 14 years using Demirjian's method. *International Journal of Paediatric Dentistry* , 12(6), 423-428.
- Green, L. J. (1961). The interrelationships among height, weight and chronological, dental and skeletal ages. *The Angle Orthodontist* , 31(3), 189-193.
- Hägg, U. &. (1985). Dental maturity as an indicator of chronological age: the accuracy and precision of three methods. *The European Journal of Orthodontics* , 7(1), 25-34.
- Hegde, R. J. (2002). Dental maturity as an indicator of chronological age: radiographic evaluation of dental age in 6 to 13 years children of Belgaum using Demirjian methods. *J Indian Soc Pedod Prev Dent* , 20(4), 132-8.
- Kirzioğlu, Z. &. (2012). Accuracy of different dental age estimation methods on Turkish children. *Forensic science international* , 216(1-3), 61-67.
- Kullman, L. J. (1992). Root development of the lower third molar and its relation to chronological age. *Swedish dental journal* , 16(4), 161-167.
- Kumar, J. K. (2013). DENTAL AGE ESTIMATION BY DEMIRJIAN'S and NOLLA'S METHOD IN ADOLESCENTS OF WESTERN UTTAR PRADESH. *Indian Journal of Public Health* , 4(3), 275.
- Lamoureux, D. O. (2018). Tooth germ initiation patterns in a developing dentition: An in vivo study of *Xenopus laevis* tadpoles. *Journal of morphology* , 279(5), 616-625.
- Lewis, A. B. (1960). The relationship between tooth formation and other maturational factors. *The Angle Orthodontist* , 30(2), 70-77.
- McKenna, C. J. (2002). Tooth development standards for South Australia. *Australian dental journal* , 47(3), 223-227.
- Melo, M. &.-A. (2017). Accuracy of the estimation of dental age in comparison with chronological age in a Spanish sample of 2641 living subjects using the Demirjian and Nolla methods. *Forensic science international* , 270, 276-e1.

Mörnstad, H. S. (1994). Age estimation with the aid of tooth development: a new method based on objective measurements. *European Journal of Oral Sciences* , 102(3), 137-143.

Nik-Hussein, N. N. (2011). Validity of Demirjian and Willems methods for dental age estimation for Malaysian children aged 5–15 years old. *Forensic science international* , 204(1-3), 208-e1-e6.

Nolla, C. (1960). The development of the permanent teeth. *J Dent Child* , 27: 254–66.

Panchbhai, A. S. (2011). Dental radiographic indicators, a key to age estimation. *Dentomaxillofacial Radiology* , 40(4), 199-212.

PRIYADARSHINI, C. P. (2015). DENTAL AGE ESTIMATION METHODS-A REVIEW. *LAP LAMBERT ACADEMIC*

Shafer WG, H. M. (2003). In *A Textbook of Oral Pathology. 5th ed.*. (pp. 1196-227). Pennsylvania: WB Saunders.

Smith, T. &. (2011). Age assessment practices: a literature review & annotated bibliography. . *United Nations Children’s Fund (UNICEF), New York* .

Thorson, J. &. (1991). The accuracy and precision of the third mandibular molar as an indicator of chronological age. *Swedish dental journal* , 15(1), 15-22.

Willems, G. M.-R. (2002). Non-destructive dental-age calculation methods in adults: intra-and inter-observer effects. *Forensic science international* , 126(3), 221-226.

Williams, G. (2001). A review of the most commonly used dental age estimation techniques. *J Forensic Odontostomatol* , 19(1), 9-17.